

Complete reference for C programming

Basic syntax and functions from the C programming language.

```
#include<stdio.h>
```

```
int main()
```

```
{return(0);}
```

printf function

It is used to show output on the screen

```
printf("Hello World!")
```

scanf function

It is used to take input from the user

```
scanf("format specifier", variables)
```

Comments

A comment is the code that is not executed by the compiler, and the programmer uses it to keep track of the code.


Single line comment

```
// It's a single line comment
```

Multi-line comment

```
/* It's a multi-linecomment*/
```

Data types



The data type is the type of data

Character type

Typically a single octet(one byte). It is an integer type

```
char variable_name;
```

Integer type

The most natural size of integer for the machine

```
int variable_name;
```

Float type

A single-precision floating-point value

```
float variable_name;
```

Double type

A double-precision floating-point value

```
double variable_name;
```

Void type

Represents the absence of the type `void`



float	double
Its size is 4 bytes	Its size is 8 bytes
It has 7 decimal digits precision	It has 15 decimal digits precision
It is an integer data type but with decimals	It is an integer data type but with decimals
It may get Precision errors while dealing with large numbers	It will not get precision errors while dealing with large numbers.
This data type supports up to 7 digits of storage.	This data type supports up to 15 digits of storage.
For float data type, the format specifier is %f.	For double data type, the format specifier is %lf.
For example -: 3.1415	For example -: 5.3645803
It is less expensive.	It is costly.
It requires less memory space as compared to double data type.	It needs more resources such as occupying more memory space in comparison to float data type.
It is suitable in graphics libraries for greater processing power because of its small range.	It is suitable to use in the programming language to prevent errors while rounding off the decimal values because of its wide range





Escape Sequences

It is a sequence of characters starting with a backslash, and it doesn't represent itself when used inside string literal.

Escape Sequence	Meaning
<code>\n</code>	New Line
<code>\t</code>	Horizontal Tab
<code>\b</code>	BackSpace
<code>\r</code>	Carriage Return
<code>\a</code>	Audible bell
<code>\'</code>	Printing single quotation
<code>\"</code>	printing double quotation
<code>\?</code>	Question Mark Sequence
<code>\\</code>	Back Slash
<code>\f</code>	Form Feed
<code>\v</code>	Vertical Tab
<code>\0</code>	Null Value
<code>\nnn</code>	Print octal value
<code>\xhh</code>	Print Hexadecimal value

Conditional Instructions

Conditional statements are used to perform operations based on some condition.

If Statement

```
if (/* condition */) { /* code */ }
```

If-else Statement

```
if (/* condition */) { /* code */ } else { /* Code */ }
```

if else-if Statement

```
if (condition) { // Statements; } else if (condition) { // Statements; } else { // Statements }
```



Switch Case Statement

It allows a variable to be tested for equality against a list of values (cases).

```
switch (expression)
```


```
{case constant-expression: statement1;statement2;  
  
    break;
```

```
case constant-expression: statement;  
  
    break;...
```

```
default: statement;}
```

Iterative Statements

Iterative statements facilitate programmers to execute any block of code lines repeatedly and can be controlled as per conditions added by the programmer.





while Loop

It allows execution of statement inside the block of the loop until the condition of loop succeeds.

```
while (/* condition */) { /* code */ }
```

do-while loop

It is an exit controlled loop. It is very similar to the while loop with one difference, i.e., the body of the do-while loop is executed at least once even if the expression is false

```
do { /* code */ } while (/* condition */);
```

for loop

It is used to iterate the statements or a part of the program several times. It is frequently used to traverse the data structures like the array and linked list.

```
for (int i = 0; i < count; i++) { /* code */ }
```

Break Statement

break keyword inside the loop is used to terminate the loop

```
break;
```


Continue Statement

continue keyword skips the rest of the current iteration of the loop and returns to the starting point of the loop

```
continue;
```



Functions & Recursion




How function works in C programming?

```
#include <stdio.h>

void functionName()
{
    ... ..
    ... ..
}


int main()
{
    ... ..
    ... ..
    functionName();
}

... ..
... ..
```






Functions are used to divide an extensive program into smaller pieces. It can be called multiple times to provide reusability and modularity to the C program.



Function Definition

```
return_type function_name(data_type parameter...)
{ //code to be executed }
```

Function Definition



How to pass arguments to a function?

```
#include <stdio.h>


int addNumbers(int a, int b);

int main()
{
    ... .. ...

    sum = addNumbers(n1, n2);

    ... .. ...
}

int addNumbers(int a, int b)
{
    ... .. ...
    ... .. ...
}
```



Recursion

Recursion is when a function calls a copy of itself to work on a minor problem. And the function that calls itself is known as the Recursive function.

```
void recurse(){... .. ...recurse();... .. ...}
```

Pointers


Pointer is a variable that contains the address of another variable,

Declaration

```
datatype *var_name;
```

Arrays

An array is a collection of data items of the same type.



Declaration

```
data_type array_name[array_size];
```

Accessing element

```
int variable_name = array[index];
```

1 D ARRAY:

C	O	D	I	N	G	E	E	K
0	1	2	3	4	5	6	7	8

← single row of elements

2 D ARRAY:

	i \ j	col 0	col 1	col 2
row 0	0	A	A	A
row 1	1	B	B	B
row 2	2	C	C	C

↑ ROWS

← column

} array elements

Strings

A string is a 1-D character array terminated by a null character ('\0')

Index	0	1	2	3	4	5
Variable	H	e	l	l	o	\0

Declaration

```
char str_name[size];
```

gets() function

It allows you to enter multi-word string

```
gets("string");
```

puts() function

It is used to show string output

```
puts("string");
```

String Functions strlen()

It is used to calculate the length of the string

```
strlen(string_name);
```

strcpy() function



It is used to copy the content of second-string into the first string passed to it

```
strcpy(destination, source);
```

strcat() function

It is used to concatenate two strings

```
strcat(first_string, second_string);
```

strcmp() function

It is used to compare two strings

```
strcmp(first_string, second_string);
```

Structures

The structure is a collection of variables of different types under a single name. Defining structure means creating a new data type.

Structure syntax

```
struct structureName  
{dataType member1;  
dataType member2;...};
```

typedef keyword

typedef function allows users to provide alternative names for the primitive and user-defined data types.

```
typedef struct structureName {dataType member1;dataType member2;  
...}new_name;
```



File Handling

A set of methods for handling File IO (read/write/append) in C language

FILE pointer

```
FILE *filePointer;
```

Opening a file

It is used to open file in C.

```
filePointer = fopen(fileName.txt, w)
```

fscanf() function

It is used to read the content of file.

```
fscanf(FILE *stream, const char *format, ...)
```

fprintf() function

It is used to write content into the file.

```
fprintf(FILE *fptr, const char *str, ...);
```

fgetc() function

It reads a character from a file opened in read mode. It returns EOF on reaching the end of file.

```
fgetc(FILE *pointer);
```

fputc() function

It writes a character to a file opened in write mode

```
fputc(char, FILE *pointer);
```

Closing a file

It closes the file.

```
fclose(filePointer);
```

Dynamic Memory Allocation

A set of functions for dynamic memory allocation from the heap. These methods are used to use the dynamic memory which makes our C programs more efficient

malloc() function

Stands for 'Memory allocation' and reserves a block of memory with the given amount of bytes.

```
ptr = (castType*) malloc(size);
```

calloc() function

Stands for 'Contiguous allocation' and reserves n blocks of memory with the given amount of bytes.

```
ptr = (castType*)calloc(n, size);
```

free function

It is used to free the allocated memory.

```
free(ptr);
```

realloc() function

If the allocated memory is insufficient, then we can change the size of previously allocated memory using this function for efficiency purposes

```
ptr = realloc(ptr, x);
```