

DAY 6

FOR LOOP QUESTIONS.

```
*  
**  
***
```

```
#include <stdio.h>
```

```
int main()
```

```
{
```

```
    int l,s;
```

```
    //nested loop (inner loop it starts fresh when we come from outer loop)
```

```
    for (l = 1; l <= 3; l++)
```

```
    {
```

```
        for(s = 1; s <= l; s++)
```

```
            printf(" *");
```

```
        printf("\n");
```

```
    } // compound statement
```

```
}
```



Program to print half pyramid a using numbers

```
1
1 2
1 2 3
1 2 3 4
1 2 3 4 5
```

Source Code

```
#include<stdio.h>
int main() {
    int i,j,rows;
    rows=5;
    for (i=1; i<=rows; ++i) {
        for (j=1; j<=i; ++j)
            { printf("%d ",j); }
        printf("\n");
    }
}
```

Program to print half pyramid using alphabets

```
A
B B
C C C
D D D D
E E E E E
```

Source Code

```
#include<stdio.h>
int main() {
    int i, j;
    char input, alphabet='A';
```

BLAZINGMINDS LEARNING CENTRE, SECTOR 46. 8377052947

<http://www.blazingminds.in>



```

printf("Enter the uppercase character you want to print in last row: ");
scanf("%c", &input);
for (i=1; i<=(input-'A'+1); ++i) {
    for (j=1; j<=i; ++j)
        { printf("%c", alphabet); }
    ++alphabet;
    printf("\n");
}
}

```

Programs to print inverted half pyramid using * and numbers

Inverted half pyramid using *

```

* * * * *
* * * *
* * *
* *
*

```

Source Code

```

#include<stdio.h>
int main() {
    int i, j, rows;
    printf("Enter number of rows: ");
    scanf("%d", &rows);
    for (i=rows; i>=1; --i) {
        for (j=1; j<=i; ++j)
            { printf("* "); }
        printf("\n");
    }
    return 0;
}

```

BLAZINGMINDS LEARNING CENTRE, SECTOR 46. 8377052947

<http://www.blazingminds.in>



Inverted half pyramid using numbers

```
1 2 3 4 5
1 2 3 4
1 2 3
1 2
1
```

Source Code

```
#include<stdio.h>
int main() {
    int i ,j, rows;
    printf("Enter number of rows: ");
    scanf("%d", &rows);
    for (i=rows; i>=1; --i) {
        for (j=1; j<=i; ++j)
            { printf("%d ",j); }
        printf("\n");
    }
    return 0;
}
```

Programs to display pyramid and inverted pyramid using * and digits

Program to print full pyramid using *

```
    *
   * *
  * * *
 * * * *
*
```

BLAZINGMINDS LEARNING CENTRE, SECTOR 46. 8377052947

<http://www.blazingminds.in>



```
* * * * * * *
* * * * * * * * *
```

Source Code

```
#include<stdio.h>
int main() {
    int i, space, rows, k=0;
    printf("Enter number of rows: ");
    scanf("%d", &rows);
    for (i=1; i<=rows; ++i,k=0) {
        for (space=1; space<=rows-i; ++space)
            { printf(" "); }
        while (k!=2*i-1) {
            printf("* ");
            ++k;
        }
        printf("\n");
    }
    return 0;
}
```

Program to print pyramid using numbers

```
    1
   2 3 2
  3 4 5 4 3
 4 5 6 7 6 5 4
5 6 7 8 9 8 7 6 5
```

Source Code

```
#include<stdio.h>
int main() {
    int i, space, rows, k=0, count=0, count1=0;
    printf("Enter number of rows: ");
    scanf("%d", &rows);
```



```

for (i=1; i<=rows; ++i) {
    for (space=1; space<=rows-i; ++space) {
        printf(" ");
        ++count;
    }
    while (k!=2*i-1) {
        if (count <= rows-1)
            { printf("%d ", i+k);
              ++count;
            }
        else {
            ++count1;
            printf("%d ", (i+k-2*count1));
        }
        ++k;
    }
    count1=count=k=0;
    printf("\n");
}
return 0;
}

```

Inverted full pyramid using *

```

* * * * *
 * * * * *
  * * * *
   * * *
    *

```

Source Code

```

#include<stdio.h>
int main() {
    int rows, i, j, space;

```

BLAZINGMINDS LEARNING CENTRE, SECTOR 46. 8377052947

<http://www.blazingminds.in>



```

printf("Enter number of rows: ");
scanf("%d", &rows);
for (i=rows; i>=1; --i) {
    for (space=0; space<rows-i; ++space)
        printf(" ");
    for (j=i; j<=2*i-1; ++j)
        printf("* ");
    for (j=0; j<i-1; ++j)
        printf("* ");
    printf("\n");
}
return 0;
}

```

Print Pascal's triangle

```

      1
     1 1
    1 2 1
   1 3 3 1
  1 4 6 4 1
 1 5 10 10 5 1

```

Source Code

```

#include<stdio.h>
int main() {
    int rows, coef=1, space, i, j;
    printf("Enter number of rows: ");
    scanf("%d", &rows);
    for (i=0; i<rows; i++) {
        for (space=1; space <= rows-i; space++)
            printf(" ");
        for (j=0; j<=i; j++) {
            if (j==0 || i==0)

```

BLAZINGMINDS LEARNING CENTRE, SECTOR 46. 8377052947

<http://www.blazingminds.in>



```

        coef = 1;
    else
        coef=coef*(i-j+1)/j;
    printf("%4d", coef);
}
printf("\n");
}
return 0;
}

```

Print Floyd's Triangle.

```

1
2 3
4 5 6
7 8 9 10

```

Source Code

```

#include<stdio.h>
int main() {
    int rows, i, j, number= 1;
    printf("Enter number of rows: ");
    scanf("%d", &rows);
    for (i=1; i<=rows; i++) {
        for (j=1; j<=i; ++j)
            { printf("%d ", number);
              ++number;
            }
        printf("\n");
    }
    return 0;
}

```

